



GAS GEYSER




GWH-01
1000/1200 GM

FEATURES

- Heat Exchanger: 1000/1200 GM
- Number of Burners: 3
- Solenoid Valve: Single
- Hot Water Output: 5L/6L per minute
- Gas Consumption: 858 gm/hr
- Thermal Efficiency: Minimum 82-84%
- Overheat Protection: Yes
- Auto cut off



**SUMMER & WINTER
MODE**



COMPACT DESIGN



3 ROW TYPE BURNER



GWH-02

1000/1200 GM

FEATURES

- Heat Exchanger: 1000/1200 GM
- Burners: 3
- Solenoid Valve: Single
- Hot Water Output: 5L/6L per minute
- Gas Consumption: 858 gm/hr
- Thermal Efficiency: Minimum 82-84%
- Overheat Protection: Yes
- Auto Cut Off



**SUMMER & WINTER
MODE**



COMPACT DESIGN



3 ROW TYPE BURNER



GWH-03

1000/1200 GM

FEATURES

- Heat Exchanger: 1000/1200 GM
- Number of Burners: 3
- Solenoid Valve: Single
- Hot Water Output: 5L/6L per minute
- Gas Consumption: 858 gm/hr
- Thermal Efficiency: Minimum 82-84%
- Overheating Protection: Yes
- Auto cut off



SUMMER & WINTER
MODE



COMPACT DESIGN



3 ROW TYPE BURNER